

T
system

Table of Contents

01 ZENEX MULTI & PLUS T-System

1.1 Fixture	4
1.2 Cover Screw	6
1.3 Healing Abutment	6
1.4 Temporary Abutment	6
1.5 Cemented Abutment	7
1.6 Angled Abutment	9
1.7 FreeMilling Abutment	10
1.8 CCM Cast Abutment	10
1.9 Components of Impression	11
1.10 Multi Straight Abutment	12
1.11 Multi Angled Abutment	13
1.12 Components of Multi Abutment	13
1.13 Ball Abutment	14
1.14 ScanBody	14
1.15 Ti Link Abutment	14
1.16 Ti Blank Abutment	14

02 ZENEX KIT

2.1 ZENEX KIT	15
2.2 Drills of ZENEX KIT	15
2.3 Components of ZENEX KIT	19

03 ZENEX GUIDE KIT

3.1 ZENEX GUIDE KIT	21
3.2 Drills of ZENEX GUIDE KIT	21
3.3 Components of ZENEX KIT	25
3.4 Other Surgical Instruments	26

1.1 Fixture

ZENEX MULTI T-System Fixture



Code	Article	Max. Diameter	Length
ZMTM3508	Mini	Ø3.75	8.5mm
ZMTM3510	Mini	Ø3.75	10.0mm
ZMTM3511	Mini	Ø3.75	11.5mm
ZMTM3513	Mini	Ø3.75	13.0mm
ZMTM3515	Mini	Ø3.75	15.0mm



Code	Article	Max. Diameter	Length
ZMTR4007	Regular	Ø4.25	7.0mm
ZMTR4008	Regular	Ø4.25	8.5mm
ZMTR4010	Regular	Ø4.25	10.0mm
ZMTR4011	Regular	Ø4.25	11.5mm
ZMTR4013	Regular	Ø4.25	13.0mm
ZMTR4015	Regular	Ø4.25	15.0mm



Code	Article	Max. Diameter	Length
ZMTR4507	Regular	Ø4.6	7.0mm
ZMTR4508	Regular	Ø4.6	8.5mm
ZMTR4510	Regular	Ø4.6	10.0mm
ZMTR4511	Regular	Ø4.6	11.5mm
ZMTR4513	Regular	Ø4.6	13.0mm
ZMTR4515	Regular	Ø4.6	15.0mm




Code	Article	Max. Diameter	Length
ZMTW5006	Wide	Ø5.05	6.0mm
ZMTW5007	Wide	Ø5.05	7.0mm
ZMTW5008	Wide	Ø5.05	8.5mm
ZMTW5010	Wide	Ø5.05	10.0mm
ZMTW5011	Wide	Ø5.05	11.5mm
ZMTW5013	Wide	Ø5.05	13.0mm
ZMTW5015	Wide	Ø5.05	15.0mm



Code	Article	Max. Diameter	Length
ZMTW5506	Wide	Ø5.4	6.0mm
ZMTW5507	Wide	Ø5.4	7.0mm
ZMTW5508	Wide	Ø5.4	8.5mm
ZMTW5510	Wide	Ø5.4	10.0mm
ZMTW5511	Wide	Ø5.4	11.5mm
ZMTW5513	Wide	Ø5.4	13.0mm
ZMTW5515	Wide	Ø5.4	15.0mm



Code	Article	Max. Diameter	Length
ZMTW6006	Wide	Ø5.9	6.0mm
ZMTW6007	Wide	Ø5.9	7.0mm
ZMTW6008	Wide	Ø5.9	8.5mm
ZMTW6010	Wide	Ø5.9	10.0mm
ZMTW6011	Wide	Ø5.9	11.5mm
ZMTW6013	Wide	Ø5.9	13.0mm



Code	Article	Max. Diameter	Length
ZMTW7006	Wide	Ø6.75	6.0mm
ZMTW7007	Wide	Ø6.75	7.0mm
ZMTW7008	Wide	Ø6.75	8.5mm
ZMTW7010	Wide	Ø6.75	10.0mm
ZMTW7011	Wide	Ø6.75	11.5mm
ZMTW7013	Wide	Ø6.75	13.0mm

ZENEX PLUS T-System Fixture



Code	Article	Max. Diameter	Length
ZPTM3508	Mini	Ø3.75	8.5mm
ZPTM3510	Mini	Ø3.75	10.0mm
ZPTM3511	Mini	Ø3.75	11.5mm
ZPTM3513	Mini	Ø3.75	13.0mm
ZPTM3515	Mini	Ø3.75	15.0mm



Code	Article	Max. Diameter	Length
ZPTR4007	Regular	Ø4.25	7.0mm
ZPTR4008	Regular	Ø4.25	8.5mm
ZPTR4010	Regular	Ø4.25	10.0mm
ZPTR4011	Regular	Ø4.25	11.5mm
ZPTR4013	Regular	Ø4.25	13.0mm
ZPTR4015	Regular	Ø4.25	15.0mm



Code	Article	Max. Diameter	Length
ZPTR4507	Regular	Ø4.6	7.0mm
ZPTR4508	Regular	Ø4.6	8.5mm
ZPTR4510	Regular	Ø4.6	10.0mm
ZPTR4511	Regular	Ø4.6	11.5mm
ZPTR4513	Regular	Ø4.6	13.0mm
ZPTR4515	Regular	Ø4.6	15.0mm



Code	Article	Max. Diameter	Length
ZPTW5007	Wide	Ø5.05	7.0mm
ZPTW5008	Wide	Ø5.05	8.5mm
ZPTW5010	Wide	Ø5.05	10.0mm
ZPTW5011	Wide	Ø5.05	11.5mm
ZPTW5013	Wide	Ø5.05	13.0mm
ZPTW5015	Wide	Ø5.05	15.0mm



Code	Article	Max. Diameter	Length
ZPTW5507	Wide	Ø5.4	7.0mm
ZPTW5508	Wide	Ø5.4	8.5mm
ZPTW5510	Wide	Ø5.4	10.0mm
ZPTW5511	Wide	Ø5.4	11.5mm
ZPTW5513	Wide	Ø5.4	13.0mm
ZPTW5515	Wide	Ø5.4	15.0mm

1.2 Cover Screw



Code	Article	Height	Code	Article	Height
CSTM35S	Mini	0.4mm	CSTR40S	R/W	0.4mm
CSTM35M	Mini	1.4mm	CSTR40M	R/W	1.4mm
CSTM35L	Mini	2.0mm	CSTR40L	R/W	2.0mm

1.3 Healing Abutment



Code	Article	Diameter	Height
HATM403	Mini	Ø4.3	3.0mm
HATM404	Mini	Ø4.3	4.0mm
HATM405	Mini	Ø4.3	5.0mm
HATM407	Mini	Ø4.3	7.0mm
HATM409	Mini	Ø4.3	9.0mm
HATM453	Mini	Ø4.8	3.0mm
HATM454	Mini	Ø4.8	4.0mm
HATM455	Mini	Ø4.8	5.0mm
HATM457	Mini	Ø4.8	7.0mm
HATM459	Mini	Ø4.8	9.0mm



Code	Article	Diameter	Height
HATR403	R/W	Ø4.3	3.0mm
HATR404	R/W	Ø4.3	4.0mm
HATR405	R/W	Ø4.3	5.0mm
HATR407	R/W	Ø4.3	7.0mm
HATR409	R/W	Ø4.3	9.0mm
HATR453	R/W	Ø4.8	3.0mm
HATR454	R/W	Ø4.8	4.0mm
HATR455	R/W	Ø4.8	5.0mm
HATR457	R/W	Ø4.8	7.0mm
HATR459	R/W	Ø4.8	9.0mm
HATR503	R/W	Ø5.3	3.0mm
HATR504	R/W	Ø5.3	4.0mm
HATR505	R/W	Ø5.3	5.0mm
HATR507	R/W	Ø5.3	7.0mm
HATR509	R/W	Ø5.3	9.0mm
HATR603	R/W	Ø6.3	3.0mm
HATR604	R/W	Ø6.3	4.0mm
HATR605	R/W	Ø6.3	5.0mm
HATR607	R/W	Ø6.3	7.0mm
HATR609	R/W	Ø6.3	9.0mm
HATR703	R/W	Ø7.3	3.0mm
HATR704	R/W	Ø7.3	4.0mm
HATR705	R/W	Ø7.3	5.0mm
HATR707	R/W	Ø7.3	7.0mm
HATR709	R/W	Ø7.3	9.0mm
HATR803	R/W	Ø8.3	3.0mm
HATR804	R/W	Ø8.3	4.0mm
HATR805	R/W	Ø8.3	5.0mm

1.4 Temporary Abutment



Code	Article	Diameter	G/H	Connection
TATMH4010	Mini	Ø4.0	1.0mm	Hex
TATMN4010	Mini	Ø4.0	1.0mm	Non-Hex
TATMH4030	Mini	Ø4.0	3.0mm	Hex
TATMN4030	Mini	Ø4.0	3.0mm	Non-Hex



Code	Article	Diameter	G/H	Connection
TATRH4510	R/W	Ø4.5	1.0mm	Hex
TATRN4510	R/W	Ø4.5	1.0mm	Non-Hex
TATRH4530	R/W	Ø4.5	3.0mm	Hex
TATRN4530	R/W	Ø4.5	3.0mm	Non-Hex

1.5 Cemented Abutment



Code	Article	Diameter	G/H	P/H	Connection
CATMH40105	Mini	Ø4.0	1.0mm	5.5mm	Hex
CATMH40205	Mini	Ø4.0	2.0mm	5.5mm	Hex
CATMH40305	Mini	Ø4.0	3.0mm	5.5mm	Hex
CATMH40405	Mini	Ø4.0	4.0mm	5.5mm	Hex
CATMH40505	Mini	Ø4.0	5.0mm	5.5mm	Hex
CATMH40605	Mini	Ø4.0	6.0mm	5.5mm	Hex
CATMH40705	Mini	Ø4.0	7.0mm	5.5mm	Hex
CATMH40107	Mini	Ø4.0	1.0mm	7.0mm	Hex
CATMH40207	Mini	Ø4.0	2.0mm	7.0mm	Hex
CATMH40307	Mini	Ø4.0	3.0mm	7.0mm	Hex
CATMH40407	Mini	Ø4.0	4.0mm	7.0mm	Hex
CATMH40507	Mini	Ø4.0	5.0mm	7.0mm	Hex
CATMH40607	Mini	Ø4.0	6.0mm	7.0mm	Hex
CATMH40707	Mini	Ø4.0	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATMN40105	Mini	Ø4.0	1.0mm	5.5mm	Non-Hex
CATMN40205	Mini	Ø4.0	2.0mm	5.5mm	Non-Hex
CATMN40305	Mini	Ø4.0	3.0mm	5.5mm	Non-Hex
CATMN40405	Mini	Ø4.0	4.0mm	5.5mm	Non-Hex
CATMN40505	Mini	Ø4.0	5.0mm	5.5mm	Non-Hex
CATMN40605	Mini	Ø4.0	6.0mm	5.5mm	Non-Hex
CATMN40705	Mini	Ø4.0	7.0mm	5.5mm	Non-Hex
CATMN40107	Mini	Ø4.0	1.0mm	7.0mm	Non-Hex
CATMN40207	Mini	Ø4.0	2.0mm	7.0mm	Non-Hex
CATMN40307	Mini	Ø4.0	3.0mm	7.0mm	Non-Hex
CATMN40407	Mini	Ø4.0	4.0mm	7.0mm	Non-Hex
CATMN40507	Mini	Ø4.0	5.0mm	7.0mm	Non-Hex
CATMN40607	Mini	Ø4.0	6.0mm	7.0mm	Non-Hex
CATMN40707	Mini	Ø4.0	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CATMH45105	Mini	Ø4.5	1.0mm	5.5mm	Hex
CATMH45205	Mini	Ø4.5	2.0mm	5.5mm	Hex
CATMH45305	Mini	Ø4.5	3.0mm	5.5mm	Hex
CATMH45405	Mini	Ø4.5	4.0mm	5.5mm	Hex
CATMH45505	Mini	Ø4.5	5.0mm	5.5mm	Hex
CATMH45605	Mini	Ø4.5	6.0mm	5.5mm	Hex
CATMH45705	Mini	Ø4.5	7.0mm	5.5mm	Hex
CATMH45107	Mini	Ø4.5	1.0mm	7.0mm	Hex
CATMH45207	Mini	Ø4.5	2.0mm	7.0mm	Hex
CATMH45307	Mini	Ø4.5	3.0mm	7.0mm	Hex
CATMH45407	Mini	Ø4.5	4.0mm	7.0mm	Hex
CATMH45507	Mini	Ø4.5	5.0mm	7.0mm	Hex
CATMH45607	Mini	Ø4.5	6.0mm	7.0mm	Hex
CATMH45707	Mini	Ø4.5	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATMN45105	Mini	Ø4.5	1.0mm	5.5mm	Non-Hex
CATMN45205	Mini	Ø4.5	2.0mm	5.5mm	Non-Hex
CATMN45305	Mini	Ø4.5	3.0mm	5.5mm	Non-Hex
CATMN45405	Mini	Ø4.5	4.0mm	5.5mm	Non-Hex
CATMN45505	Mini	Ø4.5	5.0mm	5.5mm	Non-Hex
CATMN45605	Mini	Ø4.5	6.0mm	5.5mm	Non-Hex
CATMN45705	Mini	Ø4.5	7.0mm	5.5mm	Non-Hex
CATMN45107	Mini	Ø4.5	1.0mm	7.0mm	Non-Hex
CATMN45207	Mini	Ø4.5	2.0mm	7.0mm	Non-Hex
CATMN45307	Mini	Ø4.5	3.0mm	7.0mm	Non-Hex
CATMN45407	Mini	Ø4.5	4.0mm	7.0mm	Non-Hex
CATMN45507	Mini	Ø4.5	5.0mm	7.0mm	Non-Hex
CATMN45607	Mini	Ø4.5	6.0mm	7.0mm	Non-Hex
CATMN45707	Mini	Ø4.5	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CATRH45105	R/W	Ø4.5	1.0mm	5.5mm	Hex
CATRH45205	R/W	Ø4.5	2.0mm	5.5mm	Hex
CATRH45305	R/W	Ø4.5	3.0mm	5.5mm	Hex
CATRH45405	R/W	Ø4.5	4.0mm	5.5mm	Hex
CATRH45505	R/W	Ø4.5	5.0mm	5.5mm	Hex
CATRH45605	R/W	Ø4.5	6.0mm	5.5mm	Hex
CATRH45705	R/W	Ø4.5	7.0mm	5.5mm	Hex
CATRH45107	R/W	Ø4.5	1.0mm	7.0mm	Hex
CATRH45207	R/W	Ø4.5	2.0mm	7.0mm	Hex
CATRH45307	R/W	Ø4.5	3.0mm	7.0mm	Hex
CATRH45407	R/W	Ø4.5	4.0mm	7.0mm	Hex
CATRH45507	R/W	Ø4.5	5.0mm	7.0mm	Hex
CATRH45607	R/W	Ø4.5	6.0mm	7.0mm	Hex
CATRH45707	R/W	Ø4.5	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATRN45105	R/W	Ø4.5	1.0mm	5.5mm	Non-Hex
CATRN45205	R/W	Ø4.5	2.0mm	5.5mm	Non-Hex
CATRN45305	R/W	Ø4.5	3.0mm	5.5mm	Non-Hex
CATRN45405	R/W	Ø4.5	4.0mm	5.5mm	Non-Hex
CATRN45505	R/W	Ø4.5	5.0mm	5.5mm	Non-Hex
CATRN45605	R/W	Ø4.5	6.0mm	5.5mm	Non-Hex
CATRN45705	R/W	Ø4.5	7.0mm	5.5mm	Non-Hex
CATRN45107	R/W	Ø4.5	1.0mm	7.0mm	Non-Hex
CATRN45207	R/W	Ø4.5	2.0mm	7.0mm	Non-Hex
CATRN45307	R/W	Ø4.5	3.0mm	7.0mm	Non-Hex
CATRN45407	R/W	Ø4.5	4.0mm	7.0mm	Non-Hex
CATRN45507	R/W	Ø4.5	5.0mm	7.0mm	Non-Hex
CATRN45607	R/W	Ø4.5	6.0mm	7.0mm	Non-Hex
CATRN45707	R/W	Ø4.5	7.0mm	7.0mm	Non-Hex

Code	Article	Diameter	G/H	P/H	Connection
CATRH50104	R/W	Ø5.0	1.0mm	4.0mm	Hex
CATRH50204	R/W	Ø5.0	2.0mm	4.0mm	Hex
CATRH50304	R/W	Ø5.0	3.0mm	4.0mm	Hex
CATRH50404	R/W	Ø5.0	4.0mm	4.0mm	Hex
CATRH50504	R/W	Ø5.0	5.0mm	4.0mm	Hex
CATRH50604	R/W	Ø5.0	6.0mm	4.0mm	Hex
CATRH50704	R/W	Ø5.0	7.0mm	4.0mm	Hex
CATRH50105	R/W	Ø5.0	1.0mm	5.5mm	Hex
CATRH50205	R/W	Ø5.0	2.0mm	5.5mm	Hex
CATRH50305	R/W	Ø5.0	3.0mm	5.5mm	Hex
CATRH50405	R/W	Ø5.0	4.0mm	5.5mm	Hex
CATRH50505	R/W	Ø5.0	5.0mm	5.5mm	Hex
CATRH50605	R/W	Ø5.0	6.0mm	5.5mm	Hex
CATRH50705	R/W	Ø5.0	7.0mm	5.5mm	Hex
CATRH50107	R/W	Ø5.0	1.0mm	7.0mm	Hex
CATRH50207	R/W	Ø5.0	2.0mm	7.0mm	Hex
CATRH50307	R/W	Ø5.0	3.0mm	7.0mm	Hex
CATRH50407	R/W	Ø5.0	4.0mm	7.0mm	Hex
CATRH50507	R/W	Ø5.0	5.0mm	7.0mm	Hex
CATRH50607	R/W	Ø5.0	6.0mm	7.0mm	Hex
CATRH50707	R/W	Ø5.0	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATRN50104	R/W	Ø5.0	1.0mm	4.0mm	Non-Hex
CATRN50204	R/W	Ø5.0	2.0mm	4.0mm	Non-Hex
CATRN50304	R/W	Ø5.0	3.0mm	4.0mm	Non-Hex
CATRN50404	R/W	Ø5.0	4.0mm	4.0mm	Non-Hex
CATRN50504	R/W	Ø5.0	5.0mm	4.0mm	Non-Hex
CATRN50604	R/W	Ø5.0	6.0mm	4.0mm	Non-Hex
CATRN50704	R/W	Ø5.0	7.0mm	4.0mm	Non-Hex
CATRN50105	R/W	Ø5.0	1.0mm	5.5mm	Non-Hex
CATRN50205	R/W	Ø5.0	2.0mm	5.5mm	Non-Hex
CATRN50305	R/W	Ø5.0	3.0mm	5.5mm	Non-Hex
CATRN50405	R/W	Ø5.0	4.0mm	5.5mm	Non-Hex
CATRN50505	R/W	Ø5.0	5.0mm	5.5mm	Non-Hex
CATRN50605	R/W	Ø5.0	6.0mm	5.5mm	Non-Hex
CATRN50705	R/W	Ø5.0	7.0mm	5.5mm	Non-Hex
CATRN50107	R/W	Ø5.0	1.0mm	7.0mm	Non-Hex
CATRN50207	R/W	Ø5.0	2.0mm	7.0mm	Non-Hex
CATRN50307	R/W	Ø5.0	3.0mm	7.0mm	Non-Hex
CATRN50407	R/W	Ø5.0	4.0mm	7.0mm	Non-Hex
CATRN50507	R/W	Ø5.0	5.0mm	7.0mm	Non-Hex
CATRN50607	R/W	Ø5.0	6.0mm	7.0mm	Non-Hex
CATRN50707	R/W	Ø5.0	7.0mm	7.0mm	Non-Hex

Code	Article	Diameter	G/H	P/H	Connection
CATRH60104	R/W	Ø6.0	1.0mm	4.0mm	Hex
CATRH60204	R/W	Ø6.0	2.0mm	4.0mm	Hex
CATRH60304	R/W	Ø6.0	3.0mm	4.0mm	Hex
CATRH60404	R/W	Ø6.0	4.0mm	4.0mm	Hex
CATRH60504	R/W	Ø6.0	5.0mm	4.0mm	Hex
CATRH60604	R/W	Ø6.0	6.0mm	4.0mm	Hex
CATRH60704	R/W	Ø6.0	7.0mm	4.0mm	Hex
CATRH60105	R/W	Ø6.0	1.0mm	5.5mm	Hex
CATRH60205	R/W	Ø6.0	2.0mm	5.5mm	Hex
CATRH60305	R/W	Ø6.0	3.0mm	5.5mm	Hex
CATRH60405	R/W	Ø6.0	4.0mm	5.5mm	Hex
CATRH60505	R/W	Ø6.0	5.0mm	5.5mm	Hex
CATRH60605	R/W	Ø6.0	6.0mm	5.5mm	Hex
CATRH60705	R/W	Ø6.0	7.0mm	5.5mm	Hex
CATRH60107	R/W	Ø6.0	1.0mm	7.0mm	Hex
CATRH60207	R/W	Ø6.0	2.0mm	7.0mm	Hex
CATRH60307	R/W	Ø6.0	3.0mm	7.0mm	Hex
CATRH60407	R/W	Ø6.0	4.0mm	7.0mm	Hex
CATRH60507	R/W	Ø6.0	5.0mm	7.0mm	Hex
CATRH60607	R/W	Ø6.0	6.0mm	7.0mm	Hex
CATRH60707	R/W	Ø6.0	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATRN60104	R/W	Ø6.0	1.0mm	4.0mm	Non-Hex
CATRN60204	R/W	Ø6.0	2.0mm	4.0mm	Non-Hex
CATRN60304	R/W	Ø6.0	3.0mm	4.0mm	Non-Hex
CATRN60404	R/W	Ø6.0	4.0mm	4.0mm	Non-Hex
CATRN60504	R/W	Ø6.0	5.0mm	4.0mm	Non-Hex
CATRN60604	R/W	Ø6.0	6.0mm	4.0mm	Non-Hex
CATRN60704	R/W	Ø6.0	7.0mm	4.0mm	Non-Hex
CATRN60105	R/W	Ø6.0	1.0mm	5.5mm	Non-Hex
CATRN60205	R/W	Ø6.0	2.0mm	5.5mm	Non-Hex
CATRN60305	R/W	Ø6.0	3.0mm	5.5mm	Non-Hex
CATRN60405	R/W	Ø6.0	4.0mm	5.5mm	Non-Hex
CATRN60505	R/W	Ø6.0	5.0mm	5.5mm	Non-Hex
CATRN60605	R/W	Ø6.0	6.0mm	5.5mm	Non-Hex
CATRN60705	R/W	Ø6.0	7.0mm	5.5mm	Non-Hex
CATRN60107	R/W	Ø6.0	1.0mm	7.0mm	Non-Hex
CATRN60207	R/W	Ø6.0	2.0mm	7.0mm	Non-Hex
CATRN60307	R/W	Ø6.0	3.0mm	7.0mm	Non-Hex
CATRN60407	R/W	Ø6.0	4.0mm	7.0mm	Non-Hex
CATRN60507	R/W	Ø6.0	5.0mm	7.0mm	Non-Hex
CATRN60607	R/W	Ø6.0	6.0mm	7.0mm	Non-Hex
CATRN60707	R/W	Ø6.0	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CATRH70104	R/W	Ø7.0	1.0mm	4.0mm	Hex
CATRH70204	R/W	Ø7.0	2.0mm	4.0mm	Hex
CATRH70304	R/W	Ø7.0	3.0mm	4.0mm	Hex
CATRH70404	R/W	Ø7.0	4.0mm	4.0mm	Hex
CATRH70504	R/W	Ø7.0	5.0mm	4.0mm	Hex
CATRH70604	R/W	Ø7.0	6.0mm	4.0mm	Hex
CATRH70704	R/W	Ø7.0	7.0mm	4.0mm	Hex
CATRH70105	R/W	Ø7.0	1.0mm	5.5mm	Hex
CATRH70205	R/W	Ø7.0	2.0mm	5.5mm	Hex
CATRH70305	R/W	Ø7.0	3.0mm	5.5mm	Hex
CATRH70405	R/W	Ø7.0	4.0mm	5.5mm	Hex
CATRH70505	R/W	Ø7.0	5.0mm	5.5mm	Hex
CATRH70605	R/W	Ø7.0	6.0mm	5.5mm	Hex
CATRH70705	R/W	Ø7.0	7.0mm	5.5mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATRN70104	R/W	Ø7.0	1.0mm	4.0mm	Non-Hex
CATRN70204	R/W	Ø7.0	2.0mm	4.0mm	Non-Hex
CATRN70304	R/W	Ø7.0	3.0mm	4.0mm	Non-Hex
CATRN70404	R/W	Ø7.0	4.0mm	4.0mm	Non-Hex
CATRN70504	R/W	Ø7.0	5.0mm	4.0mm	Non-Hex
CATRN70604	R/W	Ø7.0	6.0mm	4.0mm	Non-Hex
CATRN70704	R/W	Ø7.0	7.0mm	4.0mm	Non-Hex
CATRN70105	R/W	Ø7.0	1.0mm	5.5mm	Non-Hex
CATRN70205	R/W	Ø7.0	2.0mm	5.5mm	Non-Hex
CATRN70305	R/W	Ø7.0	3.0mm	5.5mm	Non-Hex
CATRN70405	R/W	Ø7.0	4.0mm	5.5mm	Non-Hex
CATRN70505	R/W	Ø7.0	5.0mm	5.5mm	Non-Hex
CATRN70605	R/W	Ø7.0	6.0mm	5.5mm	Non-Hex
CATRN70705	R/W	Ø7.0	7.0mm	5.5mm	Non-Hex

1.6 Angled Abutment



Code	Article	Diameter	G/H	Angle	Connection
AATMA40172	Mini	Ø4.0	2.0mm	17°	A-Type
AATMA40174	Mini	Ø4.0	4.0mm	17°	A-Type
AATMB40172	Mini	Ø4.0	2.0mm	17°	B-Type
AATMB40174	Mini	Ø4.0	4.0mm	17°	B-Type
AATMN40172	Mini	Ø4.0	2.0mm	17°	Non-Hex
AATMN40174	Mini	Ø4.0	4.0mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AATMA45172	Mini	Ø4.5	2.0mm	17°	A-Type
AATMA45174	Mini	Ø4.5	4.0mm	17°	A-Type
AATMB45172	Mini	Ø4.5	2.0mm	17°	B-Type
AATMB45174	Mini	Ø4.5	4.0mm	17°	B-Type
AATMN45172	Mini	Ø4.5	2.0mm	17°	Non-Hex
AATMN45174	Mini	Ø4.5	4.0mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AATRA45172	R/W	Ø4.5	2.0mm	17°	A-Type
AATRA45174	R/W	Ø4.5	4.0mm	17°	A-Type
AATRB45172	R/W	Ø4.5	2.0mm	17°	B-Type
AATRB45174	R/W	Ø4.5	4.0mm	17°	B-Type
AATRN45172	R/W	Ø4.5	2.0mm	17°	Non-Hex
AATRN45174	R/W	Ø4.5	4.0mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AATRA50172	R/W	Ø5.0	2.0mm	17°	A-Type
AATRA50174	R/W	Ø5.0	4.0mm	17°	A-Type
AATRB50172	R/W	Ø5.0	2.0mm	17°	B-Type
AATRB50174	R/W	Ø5.0	4.0mm	17°	B-Type
AATRN50172	R/W	Ø5.0	2.0mm	17°	Non-Hex
AATRN50174	R/W	Ø5.0	4.0mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AATRA60172	R/W	Ø6.0	2.0mm	17°	A-Type
AATRA60174	R/W	Ø6.0	4.0mm	17°	A-Type
AATRB60172	R/W	Ø6.0	2.0mm	17°	B-Type
AATRB60174	R/W	Ø6.0	4.0mm	17°	B-Type
AATRN60172	R/W	Ø6.0	2.0mm	17°	Non-Hex
AATRN60174	R/W	Ø6.0	4.0mm	17°	Non-Hex

1.7 FreeMilling Abutment



Code	Article	Diameter	G/H	Height	Connection
FMATMH40159	Mini	Ø4.0	1.5mm	9.0mm	Hex
FMATMN40159	Mini	Ø4.0	1.5mm	9.0mm	Non-Hex
FMATMH40309	Mini	Ø4.0	3.0mm	9.0mm	Hex
FMATMN40309	Mini	Ø4.0	3.0mm	9.0mm	Non-Hex



Code	Article	Diameter	G/H	Height	Connection
FMATRH40159	R/W	Ø4.0	1.5mm	9.0mm	Hex
FMATRN40159	R/W	Ø4.0	1.5mm	9.0mm	Non-Hex
FMATRH40309	R/W	Ø4.0	3.0mm	9.0mm	Hex
FMATRN40309	R/W	Ø4.0	3.0mm	9.0mm	Non-Hex



Code	Article	Diameter	G/H	Height	Connection
FMATRH50158	R/W	Ø5.0	1.5mm	8.0mm	Hex
FMATRN50158	R/W	Ø5.0	1.5mm	8.0mm	Non-Hex
FMATRH50308	R/W	Ø5.0	3.0mm	8.0mm	Hex
FMATRN50308	R/W	Ø5.0	3.0mm	8.0mm	Non-Hex



Code	Article	Diameter	G/H	Height	Connection
FMATRH60158	R/W	Ø6.0	1.5mm	8.0mm	Hex
FMATRN60158	R/W	Ø6.0	1.5mm	8.0mm	Non-Hex
FMATRH60308	R/W	Ø6.0	3.0mm	8.0mm	Hex
FMATRN60308	R/W	Ø6.0	3.0mm	8.0mm	Non-Hex



Code	Article	Diameter	G/H	Height	Connection
FMATRH70158	R/W	Ø7.0	1.5mm	8.0mm	Hex
FMATRN70158	R/W	Ø7.0	1.5mm	8.0mm	Non-Hex
FMATRH70308	R/W	Ø7.0	3.0mm	8.0mm	Hex
FMATRN70308	R/W	Ø7.0	3.0mm	8.0mm	Non-Hex

1.8 CCM Cast Abutment



Code	Article	Diameter	G/H	Connection
CCATMH4010	Mini	Ø4.0	1.0mm	Hex
CCATMN4010	Mini	Ø4.0	1.0mm	Non-Hex
CCATMH4030	Mini	Ø4.0	3.0mm	Hex
CCATMN4030	Mini	Ø4.0	3.0mm	Non-Hex



Code	Article	Diameter	G/H	Connection
CCATRH4510	R/W	Ø4.5	1.0mm	Hex
CCATRN4510	R/W	Ø4.5	1.0mm	Non-Hex
CCATRH4530	R/W	Ø4.5	3.0mm	Hex
CCATRN4530	R/W	Ø4.5	3.0mm	Non-Hex

1.9 Components of Impression

Pick-Up Impression Coping



Code	Article	Diameter	Length	Connection
PITMH40S	Mini	Ø4.0	11.0mm	Hex
PITMN40S	Mini	Ø4.0	11.0mm	Non-Hex
PITMH40L	Mini	Ø4.0	15.0mm	Hex
PITMN40L	Mini	Ø4.0	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PITMH45S	Mini	Ø4.5	11.0mm	Hex
PITMN45S	Mini	Ø4.5	11.0mm	Non-Hex
PITMH45L	Mini	Ø4.5	15.0mm	Hex
PITMN45L	Mini	Ø4.5	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PITRH40S	R/W	Ø4.0	11.0mm	Hex
PITRN40S	R/W	Ø4.0	11.0mm	Non-Hex
PITRH40L	R/W	Ø4.0	15.0mm	Hex
PITRN40L	R/W	Ø4.0	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PITRH45S	R/W	Ø4.5	11.0mm	Hex
PITRN45S	R/W	Ø4.5	11.0mm	Non-Hex
PITRH45L	R/W	Ø4.5	15.0mm	Hex
PITRN45L	R/W	Ø4.5	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PITRH50S	R/W	Ø5.0	11.0mm	Hex
PITRN50S	R/W	Ø5.0	11.0mm	Non-Hex
PITRH50L	R/W	Ø5.0	15.0mm	Hex
PITRN50L	R/W	Ø5.0	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PITRH60S	R/W	Ø6.0	11.0mm	Hex
PITRN60S	R/W	Ø6.0	11.0mm	Non-Hex
PITRH60L	R/W	Ø6.0	15.0mm	Hex
PITRN60L	R/W	Ø6.0	15.0mm	Non-Hex




Code	Article	Diameter	Length	Connection
PITRH70S	R/W	Ø7.0	11.0mm	Hex
PITRN70S	R/W	Ø7.0	11.0mm	Non-Hex
PITRH70L	R/W	Ø7.0	15.0mm	Hex
PITRN70L	R/W	Ø7.0	15.0mm	Non-Hex




Code	Article	Length
PIGPTMS	S Guide Pin (Mini)	11.0mm
PIGPTRS	S Guide Pin (R/W)	11.0mm
PIGPTML	L Guide Pin (Mini)	15.0mm
PIGPTRL	L Guide Pin (R/W)	15.0mm


Transfer Impression Coping




Code	Article	Diameter	Length	Connection
TITMH40S	Mini	Ø4.0	9.0mm	Hex
TITMN40S	Mini	Ø4.0	9.0mm	Non-Hex
TITMH40L	Mini	Ø4.0	13.0mm	Hex
TITMN40L	Mini	Ø4.0	13.0mm	Non-Hex




Code	Article	Diameter	Length	Connection
TITRH40S	R/W	Ø4.0	9.0mm	Hex
TITRN40S	R/W	Ø4.0	9.0mm	Non-Hex
TITRH40L	R/W	Ø4.0	13.0mm	Hex
TITRN40L	R/W	Ø4.0	13.0mm	Non-Hex




Code	Article	Diameter	Length	Connection
TITRH50S	R/W	Ø5.0	9.0mm	Hex
TITRN50S	R/W	Ø5.0	9.0mm	Non-Hex
TITRH50L	R/W	Ø5.0	13.0mm	Hex
TITRN50L	R/W	Ø5.0	13.0mm	Non-Hex




Code	Article	Diameter	Length	Connection
TITRH70S	R/W	Ø7.0	9.0mm	Hex
TITRN70S	R/W	Ø7.0	9.0mm	Non-Hex
TITRH70L	R/W	Ø7.0	13.0mm	Hex
TITRN70L	R/W	Ø7.0	13.0mm	Non-Hex




Code	Article	Diameter	Length	Connection
TITMH45S	Mini	Ø4.5	9.0mm	Hex
TITMN45S	Mini	Ø4.5	9.0mm	Non-Hex
TITMH45L	Mini	Ø4.5	13.0mm	Hex
TITMN45L	Mini	Ø4.5	13.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TITRH45S	R/W	Ø4.5	9.0mm	Hex
TITRN45S	R/W	Ø4.5	9.0mm	Non-Hex
TITRH45L	R/W	Ø4.5	13.0mm	Hex
TITRN45L	R/W	Ø4.5	13.0mm	Non-Hex




Code	Article	Diameter	Length	Connection
TITRH60S	R/W	Ø6.0	9.0mm	Hex
TITRN60S	R/W	Ø6.0	9.0mm	Non-Hex
TITRH60L	R/W	Ø6.0	13.0mm	Hex
TITRN60L	R/W	Ø6.0	13.0mm	Non-Hex



Code	Article	Length
TIGPTMS	S Guide Pin (Mini)	9.0mm
TIGPTRS	S Guide Pin (R/W)	9.0mm
TIGPTML	L Guide Pin (Mini)	13.0mm
TIGPTRL	L Guide Pin (R/W)	13.0mm

Fixture Lab Analog




Code	Article	Diameter
FLATM350	Mini	Ø3.75
FLATR400	R/W	Ø4.25


1:10

Multi Straight Abutment

Move into internal oral part by using exclusive Abutment Carrier (Code: MSACR48)



Code	Article	Diameter	G/H
MSATM4810	Mini	Ø4.8	1.0mm
MSATM4820	Mini	Ø4.8	2.0mm
MSATM4830	Mini	Ø4.8	3.0mm
MSATM4840	Mini	Ø4.8	4.0mm
MSATM4850	Mini	Ø4.8	5.0mm




Code	Article	Diameter	G/H
MSATR4810	R/W	Ø4.8	1.0mm
MSATR4820	R/W	Ø4.8	2.0mm
MSATR4830	R/W	Ø4.8	3.0mm
MSATR4840	R/W	Ø4.8	4.0mm
MSATR4850	R/W	Ø4.8	5.0mm


1.11

Multi Angled Abutment


Connect by using exclusive Abutment Carrier (Code: MAACRMC)




Code	Article	Diameter	G/H	Angle	Connection
MAATMH481725	Mini	Ø4.8	2.5mm	17°	Hex
MAATMH481730	Mini	Ø4.8	3.0mm	17°	Hex
MAATMH481740	Mini	Ø4.8	4.0mm	17°	Hex



Code	Article	Diameter	G/H	Angle	Connection
MAATMH483035	Mini	Ø4.8	3.5mm	30°	Hex
MAATMH483040	Mini	Ø4.8	4.0mm	30°	Hex
MAATMH483050	Mini	Ø4.8	5.0mm	30°	Hex



Code	Article	Diameter	G/H	Angle	Connection
MAATRH481725	R/W	Ø4.8	2.5mm	17°	Hex
MAATRH481730	R/W	Ø4.8	3.0mm	17°	Hex
MAATRH481740	R/W	Ø4.8	4.0mm	17°	Hex



Code	Article	Diameter	G/H	Angle	Connection
MAATRH483035	R/W	Ø4.8	3.5mm	30°	Hex
MAATRH483040	R/W	Ø4.8	4.0mm	30°	Hex
MAATRH483050	R/W	Ø4.8	5.0mm	30°	Hex

1.12


Components of Multi Abutment




Code	Product	Diameter
MTCSR48	Multi Temporary Cylinder	Ø4.8



Code	Product	Diameter
MCCSR48	Multi CCM Cast Cylinder	Ø4.8



Code	Product	Diameter
MPCSR48	Multi Plastic Cast Cylinder	Ø5.0



Code	Product	Diameter
MTLCSR48	Multi Ti Link Cylinder	Ø4.8




Code	Product	Diameter
MPICSR48	Multi Pick-Up Impression Coping	Ø4.8




Code	Product	Diameter
MTICSR48	Multi Transfer Impression Coping	Ø4.8




Code	Product
MLASR48	Multi Lab Analog



Code	Product	Diameter
MHCSR48	Multi Healing Cap	Ø4.8



Code	Product
MSBSR4809	Multi ScanBody



Code	Product
MSADSR20	Multi Straight Abutment Driver

1.13 Ball Abutment

Ball Abutment



Code	Article	Diameter	G/H
BATM3510	Mini	Ø3.5	1.0mm
BATM3520	Mini	Ø3.5	2.0mm
BATM3530	Mini	Ø3.5	3.0mm
BATM3540	Mini	Ø3.5	4.0mm
BATM3550	Mini	Ø3.5	5.0mm
BATM3560	Mini	Ø3.5	6.0mm



Code	Article	Diameter	G/H
BATR3510	R/W	Ø3.5	1.0mm
BATR3520	R/W	Ø3.5	2.0mm
BATR3530	R/W	Ø3.5	3.0mm
BATR3540	R/W	Ø3.5	4.0mm
BATR3550	R/W	Ø3.5	5.0mm
BATR3560	R/W	Ø3.5	6.0mm

Components of Ball Abutment



Code	Product
BASRCS	Ball Abutment Cap Set



Code	Product
BASRRS	Ball Abutment Retainer Set



Code	Product
BASROS	Ball Abutment O-ring Set




Code	Product
BAALA	Ball Abutment Lab Analog



Code	Product
BAD24	Ball Abutment Driver

1.14 ScanBody



Code	Article	Diameter	Length
TSBM4014	Mini	Ø4.0	14.0mm
TSBR4310	R/W	Ø4.3	10.0mm

1.15 Ti Link Abutment



Code	Article	Diameter	G/H	P/H	Connection
TLATMH4010	Mini	Ø4.0	1.0mm	3.8mm	Hex
TLATMN4010	Mini	Ø4.0	1.0mm	3.8mm	Non-Hex
TLATMH4020	Mini	Ø4.0	2.0mm	3.8mm	Hex
TLATMN4020	Mini	Ø4.0	2.0mm	3.8mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
TLATRH4510	R/W	Ø4.5	1.0mm	3.8mm	Hex
TLATRN4510	R/W	Ø4.5	1.0mm	3.8mm	Non-Hex
TLATRH4520	R/W	Ø4.5	2.0mm	3.8mm	Hex
TLATRN4520	R/W	Ø4.5	2.0mm	3.8mm	Non-Hex

1.16 Ti Blank Abutment



Code	Article	Diameter	Height	Brand	Connection
TBATMH10A	Mini	Ø10.0	20.0mm	For Arum	Hex
TBATMN10A	Mini	Ø10.0	20.0mm	For Arum	Non-Hex
TBATTRH10A	R/W	Ø10.0	20.0mm	For Arum	Hex
TBATRN10A	R/W	Ø10.0	20.0mm	For Arum	Non-Hex



Code	Article	Diameter	Height	Brand	Connection
TBATMH10M	Mini	Ø10.0	20.0mm	For Manix	Hex
TBATMN10M	Mini	Ø10.0	20.0mm	For Manix	Non-Hex
TBATTRH10M	R/W	Ø10.0	20.0mm	For Manix	Hex
TBATRN10M	R/W	Ø10.0	20.0mm	For Manix	Non-Hex

2.1 ZENEX KIT

ZENEX SURGERY KIT



ZENEX SIMPLE KIT



ZENEX EASY SURGERY KIT



ZENEX SUPERWIDE KIT



ZENEX PROSTHETIC KIT



2.2 Drills of ZENEX KIT

Guide Drill



Code	Min Diameter	Max Diameter	Length	Kit
GD3F20S	Ø1.5	Ø2.0	34.8mm	○ ● ○
GD3F20L	Ø1.5	Ø2.0	40.8mm	● ● ● ●

Product Code in the Kit: GD3F20L

Lindemann Drill



Code	Min Diameter	Max Diameter	Length	Kit
LD4F20S	Ø1.5	Ø2.0	31.5mm	○ ● ○
LD4F20L	Ø1.5	Ø2.0	38.5mm	○ ● ○



Code	Min Diameter	Max Diameter	Length	Kit
LD4F25S	Ø2.0	Ø2.5	31.5mm	○ ● ○
LD4F25L	Ø2.0	Ø2.5	38.5mm	● ● ● ●



Code	Min Diameter	Max Diameter	Length	Kit
LD4F35M	Ø3.0	Ø3.5	35.0mm	○ ● ○

Product Code in the Kit: LD4F25L

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ● / Optional ★

Twist Drill

2.2D



Code	Min Diameter	Max Diameter	Length	Kit
TD2F22S	Ø1.8	Ø2.2	36.2mm	● ●
TD2F22L	Ø1.8	Ø2.2	42.2mm	●

3.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F25S	Ø2.2	Ø2.5	36.2mm	★
TD2F25L	Ø2.2	Ø2.5	42.2mm	●
TD2F27S	Ø2.2	Ø2.7	36.2mm	★
TD2F27L	Ø2.2	Ø2.7	42.2mm	●

3.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F30S	Ø2.2	Ø3.0	36.2mm	● ●
TD2F30L	Ø2.2	Ø3.0	42.2mm	●

4.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F36S	Ø3.0	Ø3.6	36.2mm	● ●
TD2F36L	Ø3.0	Ø3.6	42.2mm	●

4.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F41S	Ø3.0	Ø4.1	36.2mm	● ●
TD2F41L	Ø3.0	Ø4.1	42.2mm	●






5.0F








Code	Min Diameter	Max Diameter	Length	Kit
TD2F46S	Ø3.0	Ø4.6	36.2mm	● ●
TD2F46L	Ø3.0	Ø4.6	42.2mm	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ● / Optional ★

Drill Stopper

	Code	Length	Kit
	TDDS03B	3.0mm	●
	TDDS04P	4.0mm	●
	TDDS05Y	5.0mm	●
	TDDS06G	6.0mm	●
	TDDS07B	7.0mm	● ●

	Code	Length	Kit
	TDDS08P	8.5mm	● ●
	TDDS10Y	10.0mm	● ●
	TDDS11G	11.5mm	● ●
	TDDS13B	13.0mm	● ●
	TDDS15P	15.0mm	●

Step Drill

2.2D



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2206	Ø1.8	Ø2.2	6.0mm	★
TD2F2207	Ø1.8	Ø2.2	7.0mm	●
TD2F2208	Ø1.8	Ø2.2	8.5mm	●
TD2F2210	Ø1.8	Ø2.2	10.0mm	●
TD2F2211	Ø1.8	Ø2.2	11.5mm	●
TD2F2213	Ø1.8	Ø2.2	13.0mm	● ●
TD2F2215	Ø1.8	Ø2.2	15.0mm	★

3.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2515	Ø2.2	Ø2.5	15.0mm	●



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2715	Ø2.2	Ø2.7	15.0mm	●

3.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F3006	Ø2.2	Ø3.0	6.0mm	★
TD2F3007	Ø2.2	Ø3.0	7.0mm	●
TD2F3008	Ø2.2	Ø3.0	8.5mm	●
TD2F3010	Ø2.2	Ø3.0	10.0mm	●
TD2F3011	Ø2.2	Ø3.0	11.5mm	●
TD2F3013	Ø2.2	Ø3.0	13.0mm	● ●
TD2F3015	Ø2.2	Ø3.0	15.0mm	★
TD2F3018	Ø2.2	Ø3.0	18.0mm	★
TD2F3020	Ø2.2	Ø3.0	20.0mm	★ ★

4.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F3606	Ø3.0	Ø3.6	6.0mm	★
TD2F3607	Ø3.0	Ø3.6	7.0mm	●
TD2F3608	Ø3.0	Ø3.6	8.5mm	●
TD2F3610	Ø3.0	Ø3.6	10.0mm	●
TD2F3611	Ø3.0	Ø3.6	11.5mm	●
TD2F3613	Ø3.0	Ø3.6	13.0mm	●
TD2F3615	Ø3.0	Ø3.6	15.0mm	★
TD2F3618	Ø3.0	Ø3.6	18.0mm	★
TD2F3620	Ø3.0	Ø3.6	20.0mm	★ ★

4.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F4106	Ø3.0	Ø4.1	6.0mm	★
TD2F4107	Ø3.0	Ø4.1	7.0mm	●
TD2F4108	Ø3.0	Ø4.1	8.5mm	●
TD2F4110	Ø3.0	Ø4.1	10.0mm	●
TD2F4111	Ø3.0	Ø4.1	11.5mm	●
TD2F4113	Ø3.0	Ø4.1	13.0mm	●
TD2F4115	Ø3.0	Ø4.1	15.0mm	★
TD2F4118	Ø3.0	Ø4.1	18.0mm	★
TD2F4120	Ø3.0	Ø4.1	20.0mm	★ ★

5.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F4606	Ø3.0	Ø4.6	6.0mm	★
TD2F4607	Ø3.0	Ø4.6	7.0mm	●
TD2F4608	Ø3.0	Ø4.6	8.5mm	●
TD2F4610	Ø3.0	Ø4.6	10.0mm	●
TD2F4611	Ø3.0	Ø4.6	11.5mm	●
TD2F4613	Ø3.0	Ø4.6	13.0mm	● ●
TD2F4615	Ø3.0	Ø4.6	15.0mm	★

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ● / Optional ★

Step Drill

5.5F




Code	Min Diameter	Max Diameter	Length	Kit
TD3F5206	Ø4.6	Ø5.2	6.0mm	★
TD3F5207	Ø4.6	Ø5.2	7.0mm	●
TD3F5208	Ø4.6	Ø5.2	8.5mm	●
TD3F5210	Ø4.6	Ø5.2	10.0mm	●
TD3F5211	Ø4.6	Ø5.2	11.5mm	● ●
TD3F5213	Ø4.6	Ø5.2	13.0mm	● ●
TD3F5215	Ø4.6	Ø5.2	15.0mm	● ★

6.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F5513	Ø4.6	Ø5.5	13.0mm	●

7.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F6213	Ø5.5	Ø6.2	13.0mm	●



Code	Min Diameter	Max Diameter	Length	Kit
TD3F6513	Ø5.5	Ø6.5	13.0mm	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ● / Optional ★

Cortical Drill

3.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD3FXF30	Ø2.2	Ø3.1	33.6mm	● ●

3.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD3FNF30	Ø2.1	Ø2.7	33.6mm	● ●

3.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF35	Ø2.6	Ø3.7	33.6mm	● ● ●

4.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF40	Ø3.2	Ø4.1	33.6mm	● ● ●

4.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF45	Ø3.8	Ø4.6	33.6mm	● ● ●

5.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF50	Ø4.2	Ø5.0	33.6mm	● ● ●

5.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF55	Ø4.6	Ø5.5	33.6mm	● ●

6.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF60	Ø4.2	Ø5.8	28.6mm	●

7.0C





Code	Min Diameter	Max Diameter	Length	Kit
CD4FF70	Ø5.3	Ø6.8	28.6mm	●

2.3 Components of ZENEX KIT

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● PROSTHETIC KIT ● / Optional ★

Direction Pin

	Code	Length	Kit
	Mini DPTM4010	Ø3.5	● ● ●
	R/W DPSR4509	Ø4.5	● ● ● ●

Parallel Pin



Code	Details	Kit
PP352230	Ø3.5 / 20.0mm	● ● ● ●
PP402230	Ø4.0 / 20.0mm	● ● ● ●
PP502230	Ø5.0 / 20.0mm	○ ○ ○ ○
PP602230	Ø6.0 / 20.0mm	○ ○ ○ ○

Composition in the kit

- ● PP352230 (1ea) + PP402230 (2ea)
- ● PP352230 (1ea) + PP402230 (1ea)
- PP402230 (2ea)

Fixture Driver (Mini)



Code	Details	Kit
FDCTM21S	Short / Contra Angle	● ● ●
FDCTM21L	Long / Contra Angle	● ● ●



Code	Details	Kit
FDRTM21S	Short / Wrench	● ● ●
FDRTM21L	Long / Wrench	● ● ●

Fixture Driver (R/W)



Code	Details	Kit
FDCTR25S	Short / Contra Angle	● ● ● ●
FDCTR25L	Long / Contra Angle	● ● ● ●



Code	Details	Kit
FDRTR25S	Short / Wrench	● ● ● ●
FDRTR25L	Long / Wrench	● ● ● ●

1.2 Hex Driver



Code	Details	Kit
HEDR1210	10.0mm	● ● ● ● ●
HEDR1215	15.0mm	● ● ● ● ●
HEDR1225	25.0mm	● ● ● ● ●

Drill Extension



Code	Details	Kit
DE4513	29.5mm	● ● ● ●

Torque Wrench



Code	Kit
TW60B	● ● ● ● ●

Depth Gauge



Code	Kit
DG1720	● ● ● ●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ● / Optional ★

Steel Bowl



Code	Kit
STBOWL ●	●

1.2 Hex Machine Screw Driver



Code	Details	Kit
HEDM1210	10.0mm	●
HEDM1215	15.0mm	●

Abutment Remover



Code	Kit
ARRM18	●

Finger Driver for Driver Shaft



Code	Kit
FDDS100	●

Ball Abutment Driver



Code	Kit
BAD24	●

Multi Straight Abutment Driver



Code	Kit
MSADSR20	●

3.1 ZENEX GUIDE KIT

ZENEX GUIDE MINI KIT



ZENEX GUIDE KIT



ZENEX GUIDE WIDE KIT



3.2 Drills of ZENEX GUIDE KIT


ZENEX Guide Tissue Punch

F3.0 Narrow / F3.5 Mini



Code	Sleeve offset	Diameter	Length	Kit
ZGTP3808M	12.0mm	Ø3.8	33.6mm	M

F3.5 Regular



Code	Sleeve offset	Diameter	Length	Kit
ZGTP3808R	9.0-12.0mm	Ø3.8	33.6mm	R

F4.0 Regular



Code	Sleeve offset	Diameter	Length	Kit
ZGTP4308R	9.0-12.0mm	Ø4.3	33.6mm	R

F4.5 Regular



Code	Sleeve offset	Diameter	Length	Kit
ZGTP4808R	9.0-12.0mm	Ø4.8	33.6mm	R

F5.0 Regular



Code	Sleeve offset	Diameter	Length	Kit
ZGTP5308R	9.0-12.0mm	Ø5.3	33.6mm	R

F5.0 / F6.0 / F7.0 Wide



Code	Sleeve offset	Diameter	Length	Kit
ZGTP6007W	9.0mm	Ø6.0	33.6mm	W

ZENEX Guide Flattening Drill

F3.0 Narrow / F3.5 Mini




Code	Sleeve offset	Diameter	Length	Kit
ZGFD3712M	12.0mm	Ø3.7	26.5mm	M

F3.5 / F4.0 / F4.5 / F5.0 Regular



Code	Sleeve offset	Diameter	Length	Kit
ZGFD4609R	9.0mm	Ø4.6	23.5mm	★
ZGFD4610R	10.5mm	Ø4.6	25.0mm	★
ZGFD4612R	12.0mm	Ø4.6	26.5mm	R

F5.0 / F6.0 / F7.0 Wide



Code	Sleeve offset	Diameter	Length	Kit
ZGFD5209W	9.0mm	Ø5.2	23.5mm	W

ZENEX Guide Initial Drill

F3.0 Narrow / F3.5 Mini



Code	Min Diameter	Max Diameter	Length	Kit
ZGID2205M	Ø1.8	Ø2.2	5.0mm	M
ZGID2208M	Ø1.8	Ø2.2	8.5mm	M
ZGID2210M	Ø1.8	Ø2.2	10.0mm	M
ZGID2211M	Ø1.8	Ø2.2	11.5mm	M
ZGID2213M	Ø1.8	Ø2.2	13.0mm	M
ZGID2215M	Ø1.8	Ø2.2	15.0mm	★

F3.5 / F4.0 / F4.5 / F5.0 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGID2204R	Ø1.8	Ø2.2	4.0mm	R
ZGID2207R	Ø1.8	Ø2.2	7.0mm	R
ZGID2208R	Ø1.8	Ø2.2	8.5mm	R
ZGID2210R	Ø1.8	Ø2.2	10.0mm	R
ZGID2211R	Ø1.8	Ø2.2	11.5mm	R
ZGID2213R	Ø1.8	Ø2.2	13.0mm	R
ZGID2215R	Ø1.8	Ø2.2	15.0mm	★

F5.0 / F6.0 / F7.0 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGID2205W	Ø1.8	Ø2.2	5.0mm	W
ZGID2206W	Ø1.8	Ø2.2	6.0mm	W
ZGID2207W	Ø1.8	Ø2.2	7.0mm	W
ZGID2208W	Ø1.8	Ø2.2	8.5mm	W
ZGID2210W	Ø1.8	Ø2.2	10.0mm	W
ZGID2211W	Ø1.8	Ø2.2	11.0mm	★

ZENEX Guide Twist Drill

F3.0 Narrow



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD2708M	Ø1.8	Ø2.2	8.5mm	M
ZGTD2710M	Ø1.8	Ø2.2	10.0mm	M
ZGTD2711M	Ø1.8	Ø2.2	11.5mm	M
ZGTD2713M	Ø1.8	Ø2.2	13.0mm	M
ZGTD2715M	Ø1.8	Ø2.2	15.0mm	★

F3.5 Mini



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD3008M	Ø2.2	Ø3.0	8.5mm	M
ZGTD3010M	Ø2.2	Ø3.0	10.0mm	M
ZGTD3011M	Ø2.2	Ø3.0	11.5mm	M
ZGTD3013M	Ø2.2	Ø3.0	13.0mm	M
ZGTD3015M	Ø2.2	Ø3.0	15.0mm	★

F3.5 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD3005R	Ø2.2	Ø3.0	5.0mm	R
ZGTD3007R	Ø2.2	Ø3.0	7.0mm	R
ZGTD3008R	Ø2.2	Ø3.0	8.5mm	R
ZGTD3010R	Ø2.2	Ø3.0	10.0mm	R
ZGTD3011R	Ø2.2	Ø3.0	11.5mm	R
ZGTD3013R	Ø2.2	Ø3.0	13.0mm	R
ZGTD3015R	Ø2.2	Ø3.0	15.0mm	★

F4.0 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD3605R	Ø3.0	Ø3.6	5.0mm	R
ZGTD3607R	Ø3.0	Ø3.6	7.0mm	R
ZGTD3608R	Ø3.0	Ø3.6	8.5mm	R
ZGTD3610R	Ø3.0	Ø3.6	10.0mm	R
ZGTD3611R	Ø3.0	Ø3.6	11.5mm	R
ZGTD3613R	Ø3.0	Ø3.6	13.0mm	R
ZGTD3615R	Ø3.0	Ø3.6	15.0mm	★

F4.5 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD4105R	Ø3.0	Ø4.1	5.0mm	R
ZGTD4107R	Ø3.0	Ø4.1	7.0mm	R
ZGTD4108R	Ø3.0	Ø4.1	8.5mm	R
ZGTD4110R	Ø3.0	Ø4.1	10.0mm	R
ZGTD4111R	Ø3.0	Ø4.1	11.5mm	R
ZGTD4113R	Ø3.0	Ø4.1	13.0mm	R
ZGTD4115R	Ø3.0	Ø4.1	15.0mm	★

F5.0 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD4605R	Ø3.0	Ø4.6	5.0mm	R
ZGTD4607R	Ø3.0	Ø4.6	7.0mm	R
ZGTD4608R	Ø3.0	Ø4.6	8.5mm	R
ZGTD4610R	Ø3.0	Ø4.6	10.0mm	R
ZGTD4611R	Ø3.0	Ø4.6	11.5mm	R
ZGTD4613R	Ø3.0	Ø4.6	13.0mm	R
ZGTD4615R	Ø3.0	Ø4.6	15.0mm	★

F3.5 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD3005W	Ø2.2	Ø3.0	5.0mm	W
ZGTD3006W	Ø2.2	Ø3.0	6.0mm	W
ZGTD3007W	Ø2.2	Ø3.0	7.0mm	W
ZGTD3008W	Ø2.2	Ø3.0	8.5mm	W
ZGTD3010W	Ø2.2	Ø3.0	10.0mm	W
ZGTD3011W	Ø2.2	Ø3.0	11.0mm	★

F5.0 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD4605W	Ø3.0	Ø4.6	5.0mm	W
ZGTD4606W	Ø3.0	Ø4.6	6.0mm	W
ZGTD4607W	Ø3.0	Ø4.6	7.0mm	W
ZGTD4608W	Ø3.0	Ø4.6	8.5mm	W
ZGTD4610W	Ø3.0	Ø4.6	10.0mm	W
ZGTD4611W	Ø3.0	Ø4.6	11.0mm	★

ZENEX Guide Twist Drill

F6.0 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD5505W	Ø4.6	Ø5.5	5.0mm	W
ZGTD5506W	Ø4.6	Ø5.5	6.0mm	W
ZGTD5507W	Ø4.6	Ø5.5	7.0mm	W
ZGTD5508W	Ø4.6	Ø5.5	8.5mm	W
ZGTD5510W	Ø4.6	Ø5.5	10.0mm	W
ZGTD5511W	Ø4.6	Ø5.5	11.0mm	★

F7.0 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGTD6505W	Ø5.5	Ø6.5	5.0mm	W
ZGTD6506W	Ø5.5	Ø6.5	6.0mm	W
ZGTD6507W	Ø5.5	Ø6.5	7.0mm	W
ZGTD6508W	Ø5.5	Ø6.5	8.5mm	W
ZGTD6510W	Ø5.5	Ø6.5	10.0mm	W
ZGTD6511W	Ø5.5	Ø6.5	11.0mm	★

ZENEX Guide Cortical Drill

F3.0 Narrow



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDNF30M	Ø2.4	Ø3.2	31.1mm	M

F3.5 Mini



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF35M	Ø2.6mm	Ø3.7	Ø33.7	M

F3.5 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF35R	Ø2.6	Ø3.7	33.7mm	R

F4.0 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF40R	Ø3.2	Ø4.1	33.7mm	R

F4.5 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF45R	Ø3.8	Ø4.6	32.3mm	R

F5.0 Regular



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF50R	Ø4.2	Ø5.0	34.1mm	R

F5.0 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF50W	Ø4.2	Ø5.0	31.1mm	W

F6.0 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF60W	Ø3.9	Ø5.8	30.7mm	W

F7.0 Wide



Code	Min Diameter	Max Diameter	Length	Kit
ZGCDF70W	Ø4.8	Ø6.8	30.7mm	W

3.3 Components of ZENEX KIT

ZENEX GUIDE MINI KIT **M** / ZENEX GUIDE KIT **R** / ZENEX GUIDE WIDE KIT **W** / Optional **★**

Fixture Driver

F3.5 Mini



Code	Details	Kit
ZGFDCTM21M	Contra Angle M	
ZGFDRTM21M	Wrench M	

F3.5 Regular



Code	Details	Kit
ZGFDCTM21R	Contra Angle R	
ZGFDRTM21R	Wrench R	

F4.0 / 4.5 / 5.0 Regular



Code	Details	Kit
ZGFDCTR25R	Contra Angle R	
ZGFDRTR25R	Wrench R	

F5.0 / 6.0 / 7.0 Wide



Code	Details	Kit
ZGFDCTW25W	Contra Angle W	
ZGFDRTW25W	Wrench W	

ZENEX Guide Anchor Drill



Code	Kit
ZGAD13	R

ZENEX Guide Anchor Screw



Code	Kit
ZGAS16	R

Mount Driver



Code	Details	Kit
MDCAS	Short / Contra Angle R	
MDRAS	Short / Wrench R	



Code	Details	Kit
MDCAL	Long / Contra Angle ★	
MDRAL	Long / Wrench ★	

Shank Driver



Code	Kit
SD70	M R W

1.2 Hex Driver



Code	Details	Kit
HEDR1210	10.0mm M R W	
HEDR1215	15.0mm M R W	

Drill Extension



Code	Details	Kit
DE4513	29.5mm M R W	

Torque Wrench




Code	Kit
TW60B	M R W

Depth Gauge



Code	Kit
DG1720	M R W

Steel Bowl



Code	Kit
STBOWL	R

3.4

Other Surgical Instruments

ZENEX GUIDE MINI KIT **M** ZENEX GUIDE KIT **R** ZENEX GUIDE WIDE KIT **W** / Optional **★**

Tissue Punch



Code	Diameter	Length
TP3308	Ø3.3	26.5mm
TP3808	Ø3.8	26.5mm
TP4308	Ø4.3	26.5mm
TP4808	Ø4.8	26.5mm
TP5308	Ø5.3	26.5mm

Trephine Drill



Code	Min Diameter	Max Diameter	Length
TD3718	Ø3.7	Ø4.5	34.0mm
TD4218	Ø4.2	Ø5.0	34.0mm
TD4718	Ø4.7	Ø5.5	34.0mm
TD5218	Ø5.2	Ø6.0	34.0mm
TD5718	Ø5.7	Ø6.5	34.0mm
TD6218	Ø6.2	Ø7.0	34.0mm

Bone Profiler



Code	Article	Diameter	Length
SBP41TS	-	Ø4.1	25.0mm
SBP46TS	-	Ø4.6	25.0mm
SBP56TS	-	Ø5.6	25.0mm
SBP76TS	-	Ø7.6	25.0mm
SBPGSTM20	Screw/Mini	-	-

ZENEX Guide Start Drill



Code	Fixture	Min Diameter	Max Diameter	Length
ZGSD30R	F3.5 Regular	Ø2.2	Ø3.0	26.5mm
ZGSD36R	F4.0 Regular	Ø3.0	Ø3.6	26.5mm
ZGSD41R	F4.5 Regular	Ø3.0	Ø4.1	26.5mm
ZGSD46R	F5.0 Regular	Ø3.0	Ø4.6	26.5mm

IZEN
I M P L A N T

izenimplant.com



HQ & Factory
1, 2Dong, 26-32, Suworam 4-gil, Seotan-myeon,
Pyeongtaek-si, Gyeonggi-do, 17703
Republic of Korea

Overseas Business Department
10F 1dong #1011,#1012, #1013, #1014 Central-Tower II,
158, Magokseo-ro, Gangseo-gu, Seoul, 07788
Republic of Korea

Tel. +82-31-662-0657 (HQ)
+82-2-3664-3666 (Sales)
Fax +82-31-662-0658